



MIHA Data Snapshot, Placer County, 2013-2014

Maternal and Infant Health Assessment (MIHA) Survey

✓ better than rest of California ✗ worse than rest of California ♦ no statistical difference

		Placer County			California		
		%	95% CI	Population Estimate	%	95% CI	Population Estimate
Health Status Before Pregnancy							
In good to excellent health	♦	94.8	92.2 - 97.3	3,400	92.4	91.5 - 93.3	452,800
Chronic conditions							
Diabetes†		--			2.3	1.8 - 2.8	10,900
Hypertension†		--			2.5	2.0 - 2.9	11,900
Asthma†	♦	9.7	5.9 - 13.5	300	7.8	7.0 - 8.6	37,500
Nutrition and Weight							
Daily folic acid use, month before pregnancy	✓	39.6	34.2 - 45.1	1,400	32.7	31.1 - 34.3	159,900
Overweight before pregnancy	♦	23.4	18.4 - 28.4	800	24.7	23.2 - 26.2	114,900
Obese before pregnancy	✓	14.3	10.1 - 18.5	500	20.3	18.9 - 21.7	94,400
Inadequate weight gain during pregnancy	♦	12.9	8.7 - 17.1	400	17.7	16.2 - 19.2	72,900
Excessive weight gain during pregnancy	✗	47.9	41.9 - 53.9	1,600	41.4	39.5 - 43.2	170,100
Food insecurity during pregnancy	✓	7.8	4.9 - 10.6	300	16.6	15.4 - 17.9	80,500
Intimate Partner Violence (IPV) and Depressive Symptoms							
Physical or psychological IPV during pregnancy	✓	3.0 *	0.9 - 5.1	100	7.1	6.2 - 7.9	34,500
Prenatal depressive symptoms	♦	11.7	7.9 - 15.5	400	14.1	12.9 - 15.3	68,900
Postpartum depressive symptoms	♦	12.6	8.9 - 16.3	400	13.0	11.8 - 14.1	63,200
Hardships and Support during Pregnancy							
Experienced two or more hardships during childhood	♦	25.8	20.7 - 30.9	900	25.3	23.8 - 26.7	121,600
Homeless or did not have a regular place to sleep	♦	1.6 *	0.3 - 2.9	100	2.9	2.4 - 3.4	14,000
Moved due to problems paying rent or mortgage	♦	7.2	4.3 - 10.0	300	6.9	6.0 - 7.7	33,600
Woman or partner lost job	♦	11.3	7.4 - 15.3	400	14.6	13.4 - 15.8	71,000
Woman or partner had pay or hours cut back	♦	9.9	6.9 - 12.9	400	11.8	10.7 - 12.8	57,100
Became separated or divorced	♦	5.4	2.6 - 8.3	200	7.6	6.7 - 8.5	37,000
Had no practical or emotional support	✓	1.2 *	0.2 - 2.2	< 100	4.4	3.7 - 5.2	21,700
Substance Use							
Any smoking, 3 months before pregnancy	♦	14.0	9.9 - 18.2	500	11.6	10.5 - 12.7	56,500
Any smoking, 3rd trimester†	♦	3.0 *	1.0 - 4.9	100	2.9	2.3 - 3.4	13,900
Any smoking, postpartum	♦	6.1	3.3 - 8.9	200	5.6	4.8 - 6.3	27,300
Any binge drinking, 3 months before pregnancy	♦	17.4	13.3 - 21.6	600	15.1	13.8 - 16.3	72,900
Any alcohol use, 3rd trimester†	✗	11.2	7.9 - 14.4	400	7.6	6.6 - 8.6	37,000
Pregnancy Intention and Family Planning							
Mistimed or unwanted pregnancy	✓	24.7	19.5 - 29.9	900	31.2	29.6 - 32.8	151,800
Unsure of pregnancy intentions	♦	12.4	8.4 - 16.4	400	12.9	11.8 - 14.0	62,700
Postpartum birth control use†	♦	84.6	80.5 - 88.8	3,000	81.6	80.3 - 83.0	390,200
Infant Sleep and Breastfeeding							
Placed infant on back to sleep	♦	83.7	79.5 - 87.9	3,000	79.7	78.3 - 81.1	383,200
Infant always or often shared bed	✓	24.4	19.4 - 29.4	900	34.1	32.5 - 35.7	163,700
Intended to breastfeed, before birth	♦	92.3	88.8 - 95.8	3,300	92.4	91.5 - 93.4	444,100
Intended to breastfeed exclusively, before birth	✓	73.8	68.5 - 79.0	2,600	64.2	62.6 - 65.9	308,500
Breastfeeding practices							
Any breastfeeding, 1 month after delivery	♦	86.2	81.9 - 90.6	3,000	83.5	82.3 - 84.8	398,500
Exclusive breastfeeding, 1 month after delivery	✓	49.2	43.4 - 55.1	1,700	42.7	41.0 - 44.4	200,700
Any breastfeeding, 3 months after delivery	✓	77.4	71.6 - 83.1	1,900	66.2	64.3 - 68.2	244,200
Exclusive breastfeeding, 3 months after delivery	✓	38.1	31.7 - 44.5	900	27.4	25.7 - 29.1	99,800



MIHA Data Snapshot, Placer County, 2013-2014

Maternal and Infant Health Assessment (MIHA) Survey

↑ higher than rest of California ↓ lower than rest of California ♦ no statistical difference

		Placer County			California		
		%	95% CI	Population Estimate	%	95% CI	Population Estimate
Health Care Utilization and Public Program Participation							
Had a usual source of pre-pregnancy care	♦	75.7	70.5 - 80.8	2,700	70.4	68.8 - 71.9	344,100
Initiated prenatal care in 1st trimester	♦	91.0	87.7 - 94.4	3,200	89.7	88.7 - 90.6	433,500
Had a postpartum medical visit	♦	90.3	86.8 - 93.9	3,200	87.5	86.4 - 88.7	427,500
Mom or infant needed but couldn't afford care postpartum	♦	9.5	6.0 - 13.0	300	12.6	11.4 - 13.7	59,700
Participated in WIC during pregnancy†	↓	25.3	20.1 - 30.5	900	54.1	52.9 - 55.4	259,300
Received CalFresh (food stamps) during pregnancy	↓	13.7	9.5 - 17.9	500	24.9	23.6 - 26.3	121,000
Health Insurance Coverage							
Pre-pregnancy insurance							
Medi-Cal	↓	9.6	6.4 - 12.8	300	24.5	23.1 - 25.8	119,600
Uninsured	↓	16.4	11.8 - 21.0	600	24.0	22.6 - 25.4	117,500
Private	↑	70.3	65.0 - 75.7	2,500	47.5	46.2 - 48.9	232,500
Prenatal insurance							
Medi-Cal	↓	27.5	22.2 - 32.8	1,000	49.7	48.4 - 51.0	242,800
Uninsured		--			1.6	1.2 - 2.0	7,900
Private	↑	67.6	62.1 - 73.1	2,400	44.5	43.1 - 45.8	217,100
Maternal postpartum insurance							
Medi-Cal	↓	19.4	14.6 - 24.2	700	36.2	34.7 - 37.6	175,700
Uninsured	↓	8.2	5.2 - 11.2	300	15.0	13.8 - 16.2	72,800
Private	↑	70.1	64.7 - 75.5	2,500	45.7	44.3 - 47.0	221,900
Infant health insurance							
Medi-Cal	↓	31.2	25.7 - 36.6	1,100	52.2	50.9 - 53.6	250,400
Uninsured	♦	2.4 *	0.5 - 4.3	100	2.9	2.2 - 3.5	13,700
Private	↑	63.8	58.2 - 69.3	2,200	41.3	40.0 - 42.6	198,000
Maternal Demographics							
Age							
15-19	↓	2.4 *	0.6 - 4.3	100	5.6	4.9 - 6.4	27,500
20-34	♦	76.3	71.5 - 81.0	2,700	74.5	73.0 - 76.0	365,300
35+	♦	21.3	16.7 - 25.8	800	19.9	18.5 - 21.3	97,400
Did not complete high school (or GED)	↓	8.5	5.1 - 11.8	300	16.5	15.2 - 17.7	79,900
Unmarried	↓	28.5	23.0 - 34.0	1,000	40.9	39.4 - 42.4	199,000
Race/Ethnicity							
Hispanic	↓	17.9	13.4 - 22.5	600	49.2	47.7 - 50.7	236,500
Black		--			5.7	5.3 - 6.1	27,400
White	↑	71.3	65.7 - 76.8	2,500	29.3	27.9 - 30.7	140,900
Asian/Pacific Islander	↓	8.5	4.6 - 12.4	300	15.3	13.9 - 16.7	73,700
Nativity and Language							
Born outside the U.S.	↓	17.5	12.9 - 22.2	600	37.9	36.2 - 39.6	185,700
Speaks non-English language at home	↓	11.5	7.7 - 15.2	400	30.1	28.5 - 31.7	144,800
Lives in a high poverty neighborhood	↓	4.6	2.3 - 6.8	200	38.9	37.3 - 40.5	182,900
Income as a percent of the Federal Poverty Guideline							
0-100%	↓	21.6	16.6 - 26.6	700	41.0	39.5 - 42.4	188,800
101-200%	♦	16.1	11.6 - 20.6	500	20.8	19.4 - 22.2	96,000
> 200%	↑	62.3	56.4 - 68.2	2,100	38.2	36.9 - 39.6	176,200

-- Estimate not shown because the relative standard error (RSE) is greater than 50% or fewer than 5 women reported.

* Estimate should be interpreted with caution due to low statistical reliability (RSE is between 30% and 50%).

† Measure/definition changed for this indicator and is not comparable to prior years (see Technical Notes).

Notes: MIHA is an annual population-based survey of California resident women with a live birth. Data from MIHA 2013-2014 were combined, resulting in a statewide sample size of 13,963. The sample size of Placer County was 365. Percent (%), 95% confidence interval (95% CI) and estimated number of women in the population with the health indicator/characteristic (i.e., numerator of the percent rounded to the nearest hundred) are weighted to represent all women with a live birth who resided in California and the county in 2013-2014. Population estimate is a two-year average. Symbols indicate whether the health indicator in the county was statistically different from the rest of the state (p-value < 0.05, chi-square test). See the Technical Notes for information on weighting, comparability to prior years and technical definitions. Visit the MIHA website at www.cdph.ca.gov/MIHA.

Table Citation: Maternal and Infant Health Assessment (MIHA) Survey Data Snapshots, 2013-2014. California Department of Public Health. 2016.